

<b>Hazard</b>	<b>Likelihood</b>	<b>Potential Consequences</b>	<b>Critical Group</b>	<b>Mitigation in place</b>	<b>Further actions in place</b>	<b>Assessment</b>
<b>Bee stings</b>	Probable	1. Minor reaction : discomfort / swelling 2. Major : allergic reaction / major injury. 3. Fatal : anaphylactic reaction	1. Visitors 2. Staff 3. Bee-keepers	Apiary situated behind 1.2 mesh fence.  Wooden signage by Gordon Bullock en route  Laminated A4 signs warning of bees  Hives facing inwards / away from public.  A warning 'A' board to be used when opening hives.  Veils to be used by staff when mowing.	All hives to be moved a further 1 metre in from fence.  Advice on bees stings to be supplied to R.F.L.  A4 signs to be replaced on a regular basis when fading.	Medium  Low  Low
<b>Fire by smoker</b>	Unlikely	Fire damage to grass / nearby caravan.	As above.	Large saucepan of water to be kept within apiary for use when extinguishing smoker.		Low
<b>Hive lifting injury</b>	Unlikely	Back injury	Bee-keepers	Bee-keepers to be aware of manual handling techniques and risks.		Low
<b>Bee and hive treatment – health hazard.</b>	Unlikely	Illness	Bee-keepers	Chemical treatments to be administered only by bee-keepers and all chemicals / packaging to be removed from the site.		Low
<b>Lone working</b>	Possible	Injury / stings	Bee-keepers	Work in pairs to be recommended, if not inform Gordon Bullock / staff that bee-keepers are on site alone.	Members to be reminded of lone working recommendations.	Low
